

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
2. AMENDMENT/MODIFICATION NO. 0002			J		1 2
3. EFFECTIVE DATE 22-Aug-2003		4. REQUISITION/PURCHASE REQ. NO. W81C8X-3168-2244		5. PROJECT NO.(If applicable)	
6. ISSUED BY CODE DACW43 CONTRACTING DIVISION USARMY ENGR DIST ST LOUIS 1222 SPRUCE ST, RM 4.207 ST LOUIS MO 63103-2833		7. ADMINISTERED BY (If other than item 6) CODE See Item 6			
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. DACW43-03-B-0216	
			X	9B. DATED (SEE ITEM 11) 24-Jul-2003	
				10A. MOD. OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE			FACILITY CODE		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.					
<p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:</p> <p>(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)					
KASKASKIA RIVER NAVIGATION CHANNEL					
This Solicitation is amended as follows:					
THE BID OPENING DATE HAS BEEN CHANGED TO 3 SEPTEMBER 2003 AT 11:00 AM					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)		

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

Section 02482 – Remove pages 02482-6 and –7 and replace with the attached like numbered pages.

A correction to question 2. in Clarifications to Contractors Questions included in amendment 0001 is revised as follows:

2. Section 01100-General Provisions 6.0 (b)(2). Please explain the purpose of the Government taking two final acceptance (post-dredge surveys) for a task order? What is the time frame between surveys?

The Government will take up to two final acceptance surveys per task order. If the work has progressed (minimum 3000-ft) that portion of the work may be surveyed for acceptance. The Government anticipates taking up to two acceptance surveys for a task order.

A typical drawing of the stop log structures is also attached.

(End of Summary of Changes)

3.3 DISPOSAL AREAS

The Dredge material shall be transported and deposited in the disposal areas provided by the Government as shown on the contract drawings and as specified herein. In no case shall the excavated material be discharged directly into the Kaskaskia River (open water disposal).

3.3.1 Schedule of Use

The below list is anticipated useage of the Disposal Areas as the Contractor progresses with work on the Kaskaskia River from River Mile 28 to River Mile 36. The use would be in reverse as the Contractor heads back downstream. Note: the actual starting location shall vary depending on the pre-dredge surveys run prior to dredging start. Additional areas may be made available. **This information is provided for operational planning and actual river mile limits may vary.**

RIVER MILE		DISPOSAL AREA
FROM	TO	
28.8	29.7	N
29.7	31.6	L
31.6	32.3	I
32.3	32.8	H
32.5	33.2	G
33.2	33.4	F
33.4	34.2	E
34.2	35.6	B
34.8	35.6	A

3.3.2 Overflow Structure (WEIR)

Each Disposal area will have a **discharge** water overflow **stop log** structure built by others. **Locations will be identified as part of each task order requirement. The Contractor will be required to monitor and operate the stop log structure in accordance with these specifications or as directed by the on site Government representative. A typical drawing of a stop log structure is attached at the end of this section.** |

3.3.3 Discharge Pipe Location

The Contractor shall place the dredge discharge pipe in the **disposal areas** shown on the Contract Drawings or as otherwise directed by the Contracting Officer. The dredge discharge pipe will be placed into the disposal areas as distant as practically possible from the overflow structure thereby allowing **sufficient** settling time for the dredge slurry, **as determined by the Contracting Officer’s Representative. The Contractor may be required to move the discharge pipe within the disposal areas as necessary to complete the work. Additionally, the placement of material into the disposal areas shall comply with the following:** |

- a. **Material placed into the disposal areas shall be kept a minimum distance of 50 feet away from the top outside edge of the berm.**
- b. **Material placed into the disposal areas shall not exceed a height of 15 feet above the berm elevation.**

3.3.4 Prevention of Damage

The dredged material shall be transported and deposited in such a manner as to insure that no damage will occur to pipelines, utility lines, structures, drainage systems, and berms. The Contractor shall take measures to protect the berm in the vicinity of the dredge discharge pipe. Any damage to the berm near the vicinity of the discharge pipe will be corrected by the Contractor. **Additionally, the Contractor shall:**

- a. Inspect and monitor the disposal area berms while in use and report findings to the Contracting Officer's Representative and document in the CQC report.**
- b. The Contractor shall not cause the disposal area berms to be overtopped and shall take appropriate measures to control the dredge slurry elevation within the disposal areas.**

3.3.5 Excessive Discharge Pipe Leakage

Excessive leakage of the discharge pipe or seepage at the waste weir or effluent outlet locations, at or in the immediate vicinity of the dike, shall be sufficient cause for the Contracting Officer to require the Contractor to cease pumping until corrective measures can be taken.

3.3.5 Excessive Discharge Pipe Leakage

Excessive leakage of the discharge pipe or seepage at the waste weir or effluent outlet locations, at or in the immediate vicinity of the dike, shall be sufficient cause for the Contracting Officer to require the Contractor to cease pumping until corrective measures can be taken.

3.3.6 Deposition in Non-Approved Areas

Any material that is deposited elsewhere than in the disposal areas shown on the contract drawings may be required to be removed and deposited in approved areas at no additional cost to the Government. Should the Contractor refuse, or delay compliance with the above requirement, such material may be removed by the Contracting Officer, and the cost of such removal may be deducted from moneys due or to become due to the Contractor.


3.3.7 Protection of Government Monuments, Markers, or Towers

No dredged material shall be deposited on or near any Government monuments, markers, or towers such that they may become covered or destroyed. At no time shall dredging plant be anchored, moored, or attached to any Government pilings or towers along the route of work. Benchmarks in the disposal areas shall be protected by ring levees, and if material seeps through the levee, the benchmark shall be uncovered without disturbance and exposed for use.


3.4 Site Grading

No work is required to grade or shape the interior of the disposal areas after the completion of dredging operations.

Dredge Sample Results on next page:



SECTIONAL VIEW



PLAN VIEW



RHUTASEL and ASSOCIATES, INC.
ENGINEERS • LAND SURVEYORS
FREEBURG, ILLINOIS CENTRALIA, ILLINOIS

SPOIL SITE OVERFLOW STRUCTURE
KASKASKIA REGIONAL PORT DISTRICT