

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	4
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 13-Feb-2004	4. REQUISITION/PURCHASE REQ. NO. W81C8X-3325-1119		5. PROJECT NO.(If applicable)	
6. ISSUED BY CONTRACTING DIVISION USARMY ENGR DIST ST LOUIS 1222 SPRUCE ST RM 4.207 ST LOUIS MO 63103-2833	CODE W912P9	7. ADMINISTERED BY (If other than item 6) <b>See Item 6</b>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. W912P9-04-B-0202	
			X	9B. DATED (SEE ITEM 11) 15-Jan-2004	
				10A. MOD. OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE		11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS		
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) AMENDMENT OF SOLICITATION  Specifications and drawings for: Item II - Railroad Closure Structure, Flood Protection Project, Jefferson County, Festus and Crystal City, Missouri.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		13-Feb-2004	

## **GENERAL REQUIREMENTS**

### **1. BID SCHEDULE**

Change the quantity for Bid Item 0012. Crushed Stone Surfacing from 150 TN to 650 TN  
The attached revised Bid Schedule Page (Page 3 of 3) hereby replaces the former page.

### **2. SECTION 01025 – MEASUREMENT AND PAYMENT**

Paragraph 1.1.2 h. Establishment of Turf.

Change subparagraph (1) to read as follows:

(1) Payment will be made for costs associated with operations necessary for establishment of turf as specified in SECTION 02935 – ESTABLISHMENT OF TURF.

### **3. SECTION 01130 – ENVIRONMENTAL PROTECTION**

Delete paragraph 3.1.5 Clearing Debris and replace with the following. The change will allow for burning.

3.1.5 Clearing Debris. Clearing debris is trees, tree stumps, tree trimmings, and shrubs, and leaves, vegetative matter, excavated natural materials (e.g., dirt, sand, and rock), and demolition products (e.g., brick, concrete, glass, and metals).

a. The Contractor shall collect trees, tree stumps, tree trimmings, shrubs, leaves, and other vegetative matter; and shall dispose of as described in Section 02110 - CLEARING, GRUBBING AND STRIPPING. The Contractor shall segregate the matter where appropriate for proper disposal. Untreated and unpainted scrap lumber may be disposed of with this debris where appropriate.

b. Demolition products shall be transported from the project site for proper disposal in compliance with Federal, State, and local requirements.

### **4. SECTION 01300 – SUBMITTALS.**

Add the following to the submittal register for Section 02110.

02110.1.3.2 Burning Plan      Statement      FOR INFORMATION ONLY

### **5. SECTION 02110 – CLEARING, GRUBBING, AND STRIPPING**

a. Delete paragraph 1.2 BURNING. and replace with the following. The change will allow for burning.

1.2 BURNING. The use of burning at the project site for the disposal of refuse and debris may be permitted within the project limits. The Contractor must obtain and comply with all Federal, State, and local permits concerning burning.

b. Change paragraph 1.3 SUBMITTALS to add the following submittal.

1.3.2 Burning Plan. FIO Submit a burning plan designating areas to be used for burning, and types of materials to be burned.

## **6. SECTION 02360 – STEEL SHEET PILING**

a. Delete paragraph 3.1.1 in its entirety and replace with the following. The change replaces the second sentence.

3.1.1 Pile Driving Equipment. Hammers shall be air or diesel, single-acting, double-acting, or differential-acting type. The Contractor shall determine the minimum required hammer driving energy as recommended by the manufacturer for the piling weights and subsurface materials to be encountered. Based on subsurface conditions, the Contractor may elect to use a vibratory hammer for driving the sheet piling, but shall submit for approval a complete description of all pertinent equipment to be employed per paragraph 02360-1.4.2.

b. Delete paragraph 3.1.3 in its entirety and replace with the following. The change replaces first sentence, revises second sentence, and deletes the fourth sentence.

3.1.3 Cutting-Off and Splicing. Pilings shall be driven to or below the elevations shown on the drawings. Pilings may be spliced to drive them to the required tip elevation and to extend them up to the required top elevation. Unless authorized by the Contracting Officer, only one splice shall be permitted per length of pile. Pilings damaged by driving and cut off to permit further driving shall be extended as required to reach the top elevation by splicing when directed by the Contracting Officer at no additional cost to the Government. Splices in adjoining pilings must be spaced at least 3 feet apart in elevation. Welding of splices shall conform to the requirements of SECTION 05100 - METALWORK FABRICATION AND MISCELLANEOUS PROVISIONS. Splices shall be of the full penetration butt-weld type. Ends of pilings to be spliced shall be squared before splicing to eliminate dips or camber. Pilings shall be spliced together with concentric alignment of the interlocks so that there are no discontinuities, dips or camber at the abutting interlocks. Spliced pilings shall be free sliding and able to obtain the maximum swing with contiguous pilings. The tops of pilings excessively battered during driving shall be trimmed when directed at no cost to the Government. Piling cut-offs shall become the property of the Contractor and shall be removed from the site. The Contractor shall cut holes in pilings as shown on the drawings or as directed. All cutting shall be done in a neat and workmanlike manner. A straight edge shall be used in cuts made by burning to avoid abrupt nicks. Bolt holes in steel piling shall be drilled or may be burned and reamed by approved methods which will not damage the surrounding metal. Holes other than bolt holes shall be reasonably smooth and the proper size for items to be inserted.

c. Delete paragraph 3.2 QUANTITIES in its entirety.

## **DRAWINGS**

### **1. Drawing M-FES-2/S-2.1**

Change Note 9 to read as follows:

9. TOP OF PZ27 PILES IN I-WALLS AS SHOWN. TIP OF PZ27 PILES IN I-WALLS EL. 340.0.

### **2. Drawing M-FES-2/S-9.1**

In Note 2 change bolt diameter from 1½” to ½”.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0012	Crushed Stone Surfacing	650	Net Ton (2,000 LB)		
				NET AMT	_____
0013	Storm Drainage System	1	Lump Sum		
				NET AMT	_____
0014	Special RR Insurance Requirements	1	Lump Sum		
				NET AMT	_____
				GRAND TOTAL	\$ _____